



Issue date 17-Jun-2015

Safety Data Sheet

Version 1

1. Identification of the Substance/Preparation and of the Company/Undertaking

Product Identifier

Product name ANDIS COOL CARE PLUS FOR CLIPPER BLADES
Chemical name 7-7875-2

Other means of identification

Product code FG 431-2211-6 GHS
Synonyms Disinfectant and Lubricant
Registration number(s) 498-194-74603

Recommended use of the chemical and restrictions on use

Recommended Use To disinfect and lubricate hair clippers and for disinfection of other inanimate surfaces.
Uses advised against Do not spray on varnished, painted or plastic surfaces.

Details of the supplier of the safety data sheet

Supplier Address
Andis Company
1800 Renaissance Boulevard
Sturtevant, WI 53177

Manufacturer Address
Chase Products Co.
2727 Gardner Road
Broadview, IL 60155
708-273-1121

Emergency Telephone Number

Company Phone Number 708-865-1000
24 Hour Emergency Phone Number 1-800-255-3924
Emergency telephone ChemTel 1-800-255-3924

2. Hazards Identification

Classification

Serious eye damage/eye irritation	Category 2A
FLAMMABLE AEROSOLS	Category 1
Gases Under Pressure	liquefied gas

Label Elements

EMERGENCY OVERVIEW

DANGER

hazard statements

Causes serious eye irritation
EXTREMELY FLAMMABLE AEROSOL
Contains gas under pressure; may explode if heated



Appearance clear liquid

Physical State Aerosol

Odor Perfumed.

Precautionary Statements - Prevention

FG 431-2211-6 GHS ANDIS COOL CARE PLUS FOR CLIPPER BLADES

Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves, protective clothing, eye protection and face protection.
Keep away from heat, sparks, open flames and hot surfaces. — No smoking
Pressurized container: Do not pierce or burn, even after use
Do not spray on an open flame or other ignition source

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
If eye irritation persists: Get medical advice/attention

Precautionary Statements - Storage

Protect from sunlight. Store in a well-ventilated place
Do not expose to temperatures exceeding 122 °F (50 °C)

Hazards not otherwise classified (HNOC)

Other Information

- Toxic to aquatic life with long lasting effects
- 14.748% of the mixture consists of ingredient(s) of unknown toxicity

3. Composition/information on Ingredients

Synonyms	Disinfectant and Lubricant.
Chemical Family	MIXTURES.
Formula	7-7875-2
Chemical nature	Aqueous solution of alcohol and other active ingredients.

Chemical name	CAS No	weight-%	Trade secret
Ethyl alcohol	64-17-5	60-65	*
Water	7732-18-5	15-20	*
1,1-Difluoroethane	75-37-6	10-15	*
n-butane	106-97-8	1-5	*
O-phenylphenol	90-43-7	0.1	*

Chemical Additions See label for active ingredients information.

* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

FIRST AID MEASURES

Eye Contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Skin contact	Wash with soap and water. If irritation develops, consult a physician .
inhalation	If overcome by vapor, move person to fresh air. If person is not breathing, call 911 or an ambulance, then provide artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advise.
INGESTION	Ingestion from an aerosol product is unlikely to occur.

Most important symptoms and effects, both acute and delayed

Symptoms	Acute, Deliberate inhalation of concentrated vapor or mist may cause headaches. Prolonged and repeated contact with the eyes may cause mild irritation.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Note to physicians None needed.

5. Fire-fighting measures

Suitable extinguishing media

Dry chemical, CO2 or water spray.

Unsuitable extinguishing media Use water spray or fog; do not use straight streams.

Specific hazards arising from the chemical

Containers are under pressure. Temperatures above 130 °F may cause cans to burst.

Hazardous combustion products Thermal decomposition may yield gases like carbon monoxide, carbon dioxide, hydrofluoric acid and carbonyl halides.

Explosion data

Sensitivity to Mechanical Impact Contents under pressure, keep away from heat and open flame.

Sensitivity to Static Discharge Keep away from heat, sparks, flame, and other sources of ignition (i.e., pilot lights, electric motors and static electricity).

Protective equipment and precautions for firefighters

Use personal protective equipment as required.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions CONTENTS UNDER PRESSURE. Do not puncture or incinerate cans.

Other Information Keep out of reach of children.

Environmental Precautions

Environmental Precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Provide adequate ventilation to area being treated. Soak up spills with chemically inert, absorbent material.

Methods for cleaning up Clean contaminated surface thoroughly.

7. Handling and Storage

Precautions for safe handling

Advice on safe handling Avoid getting spray into eyes. Keep out of reach of children.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in a cool, dry place away from heat and open flame. Avoid storing at below-freezing temperatures. **AEROSOL STORAGE LEVEL II (NFPA 30B).**

Incompatible Materials Avoid heat, open flame and contact with strong oxidizers.

8. Exposure Controls/Personal Protection

Control parameters

Exposure guidelines See occupational exposure limits listed below.

FG 431-2211-6 GHS ANDIS COOL CARE PLUS FOR CLIPPER BLADES

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m ³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³
n-butane 106-97-8	STEL: 1000 ppm	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m ³	TWA: 800 ppm TWA: 1900 mg/m ³

Appropriate engineering controls

Engineering controls Use with adequate general or local exhaust ventilation.

Individual protection measures, such as personal protective equipment

Eye/face Protection Conventional eyeglasses to guard against splashing.

Skin and Body Protection Household type gloves, if desired.

Respiratory protection None required if used in a well-ventilated area .

General hygiene considerations Wash hands thoroughly after handling.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical State	Aerosol	Odor	Perfumed.
Appearance	clear liquid	Odor threshold	No information available
Color	clear		

Property	Values	Remarks • Method
pH	9.8 TO 10.5	No information available
Melting point/freezing point	NA	No information available
Boiling point/boiling range	173-181 °F/78.4 °C Ethyl alcohol	No information available
Flash Point	Not available. This is an aerosol product with a Flame Projection of 18 in. with 3 in. flashback. Temperatures above 120 F may cause cans to burst.	No information available
Evaporation Rate	Faster than butyl acetate	No information available
Flammability (solid, gas)		No information available
Flammability Limits in Air		No information available
Upper flammability limits	Not available	
Lower Flammability Limit	Not available	
Vapor pressure	Not available	No information available
Vapor Density		No information available
Relative Density	0.84 to 0.848 concentrate	No information available
Water solubility	completely soluble	No information available
Solubility in other solvents		No information available
Partition coefficient		No information available
Autoignition Temperature		No information available
Decomposition temperature		No information available
Kinematic viscosity		No information available
Dynamic viscosity		No information available
Explosive properties	No information available	
Oxidizing properties	No information available	

Other Information

Softening point	No information available
Molecular weight	No information available
VOC content (%)	67.7
Density	No information available
Bulk Density	6.99 to 7.06 Lb/gal

FG 431-2211-6 GHS ANDIS COOL CARE PLUS FOR CLIPPER BLADES

STOT - repeated exposure No information available.
Aspiration Hazard No information available.

Numerical measures of toxicity - Product Information

Unknown acute toxicity 14.748% of the mixture consists of ingredient(s) of unknown toxicity
The following values are calculated based on chapter 3.1 of the GHS document .
ATEmix (inhalation-gas) 10000000
ATEmix (inhalation-vapor) 16447.4 mg/l

12. Ecological Information

This product does not contain ingredients listed as marine pollutants according to DOT.

ecotoxicity

19.248% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Ethyl alcohol 64-17-5		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	EC50 = 34634 mg/L 30 min EC50 = 35470 mg/L 5 min	9268 - 14221: 48 h Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static 10800: 24 h Daphnia magna mg/L EC50
O-phenylphenol 90-43-7	0.85: 72 h Desmodemus subspicatus mg/L EC50	3.4: 96 h Pimephales promelas mg/L LC50 flow-through 2.74: 96 h Lepomis macrochirus mg/L LC50 2.75: 96 h Oncorhynchus mykiss mg/L LC50 5.8: 96 h Poecilia reticulata mg/L LC50 static	EC50 = 2.05 mg/L 5 min	1 - 2.5: 48 h Daphnia magna mg/L EC50 Static

Persistence and degradability

No information available.

Bioaccumulation

See information below.

Chemical name	Partition coefficient
Ethyl alcohol 64-17-5	-0.32
n-butane 106-97-8	2.89
O-phenylphenol 90-43-7	3.18

Other adverse effects

No information available

13. Disposal Considerations

Waste treatment methods

Disposal of wastes

Do not puncture or incinerate container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

Contaminated packaging

Pressurized container: Do not pierce or burn, even after use.

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
O-phenylphenol 90-43-7		Included in waste stream: K060		

Chemical name	California Hazardous Waste Status
Ethyl alcohol 64-17-5	Toxic Ignitable

14. Transport Information

DOT	Limited quantity (LQ)
UN/ID no	UN1950
Proper Shipping Name	Spray Disinfectant/Lubricant
Hazard Class	2.1
Marine pollutant	This product does not contain ingredients listed as marine pollutants according to DOT.

15. Regulatory information

International Inventories

TSCA All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

DSL All ingredients are listed or are excluded from listing on the DSL.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372. This information must be included in all SDSs that are copied and distributed for this material.

Chemical name	CAS No	weight-%	SARA 313 - Threshold Values %
O-phenylphenol - 90-43-7	90-43-7	0.1	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	yes
Fire Hazard	yes
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
O-phenylphenol - 90-43-7	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ethyl alcohol 64-17-5	X	X	X
Water 7732-18-5			X
1,1-Difluoroethane 75-37-6	X	X	
n-butane 106-97-8	X	X	X
O-phenylphenol 90-43-7	X	X	X

U.S. EPA Label information

EPA Pesticide registration number 498-194-74603

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: **WARNING:** Causes eye irritation. Do not get in eyes. Avoid contact with skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Avoid contamination of foodstuff.

16. Other information

NFPA	Health Hazards 1	Flammability 4	Instability 1	Physical and chemical properties Not applicable Personal Protection B - Eyes and hands protection
HMIS	Health Hazards 1*	Flammability 4	Physical Hazards 1	

Chronic Hazard Star Legend

See Section 11: TOXICOLOGICAL INFORMATION

Prepared by Regulatory Department
Issue date 17-Jun-2015
Revision note

SDS supersedes a previous SDS dated June 10, 2014.

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet