

Studio Color Energetic Yellow

SDS Number: 1223

Revision Date: 02/17/2016

Page 1 of 4

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Davis Manufacturing
541 Proctor Avenue
Scottsdale, GA 30079

Contact: Emergency Contact: Chem-Tel 800 255-3924
Phone: 404 292-2424
Fax: 404 292-3049
Email: mail@davismfg.com
Web: www.davismfg.com

Product Name: Studio Color Energetic Yellow
Revision Date: 02/17/2016
Version: 2
SDS Number: 1223
CAS Number: Contain CAS#64-17-5
Product Code: SC.EYE
EPA Number: Not Applicable
Chemical Family: Alcohols
Chemical Formula: *** PROPRIETARY ***
Product Use: Pet Grooming Dye

Emergency Phone for USA: 1 800 255-3924
Emergency Phone for International: +011 813 248-0585
Service provide for Davis by Chem-Tel Inc
under contract # MIS0001878

2

HAZARDS IDENTIFICATION

Route of Entry: Inhalation; Moderate; Ingestion; High; Eyes; Moderate; Skin; Moderate
Target Organs: Gastrointestinal tract; may cause irritation to mouth, throat and digestive system. Eyes; Lungs;
Inhalation: May cause dizziness May cause irritation to throat, nose and lungs.
Skin Contact: May cause irritation.
Eye Contact: Direct contact may cause irritation, pain or inflammation.
Ingestion: May cause gastrointestinal irritation; and large amounts may cause serious harm.

GHS Signal Word:
WARNING

GHS Hazard Pictograms:



GHS Classifications:

Studio Color Energetic Yellow

SDS Number: 1223

Revision Date: 02/17/2016

Page 2 of 4

Health, Aspiration hazard, 2

GHS Phrases:

May be harmful if swallowed and enters airways

GHS Precautionary Statements:

P102 - Keep out of reach of children.

P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking

P301 - IF SWALLOWED: _

P311 - Call a POISON CENTER or doctor/physician.

3

COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

In accordance with OSHA's Hazard Communication Standard, only hazardous materials are listed.

Chemical Name:	weight %	CAS
Ethanol	44-49 %	64-17-5
Dye	< 3 %	

The proprietary dye blend contains an ingredient which is on the CA List of Carcinogens.

4

FIRST AID MEASURES

Inhalation: If symptoms develop, move person to fresh air & if symptoms persist, consult a physician.

Skin Contact: If signs of irritation, wash with mild soap and water.

Eye Contact: Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate irrigation.

Seek medical attention if symptoms persist.

Ingestion: If person is fully conscious, give 2 glasses of water. INDUCE VOMITING. CALL A PHYSICIAN.

Medical Conditions Generally Aggravated by Exposure:

Chronic dermal, eye disorders, pre-existing respiratory disorders.

This product is not meant for consumption; it contains some denaturants.

5

FIRE FIGHTING MEASURES

Flammability: Flammable Liquid

Flash Point: 80 F (26.6 C)

Flash Point Method: Tag Closed Cup

Extinguishing Media: Carbon Dioxide, Dry Chemical or Foam

Unusual Fire & Explosion Hazards: Vapors may travel or move by air currents to an ignition source and flash back.

Studio Color Energetic Yellow

SDS Number: 1223

Revision Date: 02/17/2016

Page 3 of 4

6 ACCIDENTAL RELEASE MEASURES

If released or spilled: Dispense sand, sawdust or vermiculite. Collect and place in waste container. Wash area thoroughly with water.

Shut off ignition sources, no smoking or flames in area.

7 HANDLING AND STORAGE

Handling Precautions: Keep away from sources of ignition. Consider normal working hygiene. Avoid contact with eyes or skin. Keep material out of reach of children.

Storage Requirements: Store in original, closed container. Keep away from heat, sparks, and flames. Keep away from children.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Local exhaust ventilation may be necessary.

Personal Protective Equip: HMIS PP, C | Goggles, Gloves, Apron

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Yellow liquid.

Physical State: Liquid

Odor: Alcohol Odor

Spec Grav./Density: 0.899

Flash Point: 74 F/23 C

10 STABILITY AND REACTIVITY

Stability: Product is stable under normal conditions.

Conditions to Avoid: Avoid extremely high temperatures.

Avoid ignition sources.

Materials to Avoid: Oxidizing Agents

Hazardous Decomposition: None known for mixture

Hazardous Polymerization: Will not occur.

11 TOXICOLOGICAL INFORMATION

Unknown for mixture

12 ECOLOGICAL INFORMATION

Unknown for mixture. Some of the ingredients have exhibited toxicity to aquatic organisms.

Studio Color Energetic Yellow

SDS Number: 1223

Revision Date: 02/17/2016

Page 4 of 4

13

DISPOSAL CONSIDERATIONS

Dispose of in accordance with prevailing local, state and federal regulations.

14

TRANSPORT INFORMATION

DOT Class: Flammable Liquid (3) #3

UN #: UN 1170, Class: 3, Proper Shipping Name: Ethanol (Ethyl alcohol) or Ethanol solution (Ethyl alcohol solution)

DOT Shipping Name: UN1170,3, PGIII Ethanol Solution

(In smaller quantities or sizes may be Limited Quantity or until 2020, Consumer Commodity, ORM-D)

15

REGULATORY INFORMATION

R 22 Harmful if swallowed.

S 16 Keep away from sources of ignition -- No smoking.

S 2 Keep out of the reach of children.

16

OTHER INFORMATION

BE SAFE: READ OUR PRODUCT SAFETY INFORMATION AND PASS IT ON.

Product liability law requires it. The information provided in this Material Safety Data Sheet has been obtained from current sources believed to be reliable. The manufacturer provides no warranties, either express or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your information, consideration and investigation. You should satisfy yourself that you have all current data relevant to your particular use.