

# SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/8

# **GROOM PROFESSIONAL UNISEX DOG COLOGNE**

Revision 14

Revision date 2017-08-21

	Revision date 2017-08-2
<b>SECTION 1: Identification of</b>	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	GROOM PROFESSIONAL UNISEX DOG COLOGNE
Product code	qafs713
1.2. Relevant identified uses of t	he substance or mixture and uses advised against
Product Use	[SU21] Consumer uses: Private households (= general public = consumers);
	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen);
Description	Designer Fragrance - An all over fragranced body spray to improve your pets appeal.
1.3. Details of the supplier of the	safety data sheet
Company	Christies Direct Ltd
Address	16 Finvoy Road
	Ballymoney
	County Antrim
	BT53 7JE
Web	www.christiesdirect.com
Telephone	Tel: 028 2766 6879
Fax	
Email	support@christiesdirect.com
Email address of the	support@christiesdirect.com
competent person	
1.4. Emergency telephone numb	per
Emergency telephone number	028 2766 6879
	9.00am to 17.00pm (Mon to Fri)

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

2.1.2. Classification - EC	EUH208; Flam. Liq. 3: H226; Aquatic Chronic 3: H412;
1272/2008	

#### 2.2. Label elements

Hazard pictograms	



Signal Word

**Hazard Statement** 

Warning

EUH208 - Contains 1,1,6,7-Tetramethyl-6-acetyldecalene, dipentene,

alpha-methyl-1,3-benzodioxole-5-propanal. May produce an allergic reaction.

Flam. Liq. 3: H226 - Flammable liquid and vapour.

Revision 14
Revision date 2017-08-21

2.2. Label elements

	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statement:	P102 - Keep out of reach of children.
Prevention	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
Precautionary Statement:	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
Response	lenses, if present and easy to do. Continue rinsing.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
Precautionary Statement:	P403+P235 - Store in a well-ventilated place. Keep cool.
Storage	

### 2.3. Other hazards

### SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
ethanol	603-002-00-5	64-17-5	200-578-6	01-2119457610-43	60 - 70%	Flam. Liq. 2: H225;
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-h examethylindeno[5,6-c]pyran	603-212-00-7	1222-05-5	214-946-9	01-2119488227-29		Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
1- (1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-t etramethyl-2-naphthalenyl) ethanone		54464-57-2	259-174-3		0 - 0.5%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 1: H410;
dipentene	601-029-00-7	138-86-3	205-341-0		0 - 0.5%	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
6-Acetyl-1,1,2,4,4,7-hexamethyltetr akine		1506-02-1	216-133-4		0 - 0.5%	Acute Tox. 4: H302; Aquatic Chronic 1: H410;
Alpha-Methyl-1,3-Benzodioxole-5-P ropanal		1205-17-0	214-881-6			Skin Sens. 1: H317; Aquatic Chronic 2: H411;
(R)-p-mentha-1,8-diene	601-029-00-7	5989-27-5	227-813-5		0 - 0.5%	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
dalphaPinene		7785-70-8	232-087-8		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 1: H410;
Gamma-Terpinene(p-Mentha-1,4-di ene)		99-85-4	202-794-6		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304;
Beta pinene		127-91-3	204-872-5		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 1: H410;
Alpha-Pinene		80-56-8	201-291-9		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 1: H410;
Sabinene		3387-41-5	222-212-4		0 - 0.5%	Flam. Liq. 3: H226; Acute Tox. 2: H330;
2,2, Dimethyl-3-Methylene Bicyclo (2,2,1) Heptane		79-92-5	201-234-8		0 - 0.5%	Flam. Liq. 3: H226; Eye Irrit. 2: H319; Aquatic Chronic 1: H410;
Myrcene		123-35-3	204-622-5		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Eye Irrit. 2: H319;
beta-Phellandrene		555-10-2	209-081-9		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304;
1-Methyl-4-(1-methylethenyl) -benzene		99-87-6	202-796-7		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Aquatic Chronic 2: H411;

Revision 14

	Revision 7  Revision date 2017-08-2
Further information	
Product Shelf Life	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.
Active Ingredients	Unisex Cologne contains Denatured Ethanol, Aqua, Aloe Barbadensis Leaf, Citric Acid, Sodium Benzoate, Potassium Sorbate, Anthemis Nobilis, Parfum (Linalool, Limonene, Butylphenyl methylpropional, Citronellol, Citral, Eugenol).
SECTION 4: First aid me	easures
4.1. Description of first aid r	neasures
Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.
4.2. Most important sympto	ms and effects, both acute and delayed
Inhalation	High concentration of vapour in enclosed space may cause irritation, headaches and nausea. May cause irritation to respiratory system.
Eye contact	Irritating to eyes.
Skin contact	May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin.
Ingestion	May cause irritation to mucous membranes.
4.3. Indication of any immed	diate medical attention and special treatment needed
	TREAT SYMPTOMATICALLY.
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting	measures
5.1. Extinguishing media	
	Flammable liquid. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
5.2. Special hazards arising	from the substance or mixture
	Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	
	Wear suitable respiratory equipment when necessary.
Further information	·
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental	release measures
6.1. Personal precautions, p	protective equipment and emergency procedures
	Wear suitable protective equipment. Flammable liquid. Avoid sparks, flames, heat and sources of ignition.
6.2. Environmental precauti	, <u> </u>
•	Advise local authorities if large spills cannot be contained.

Revision 14 Revision date 2017-08-21

6.3. Methods and material for containment and cleaning up				
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Avoid sparks, flames, heat and sources of ignition.			
6.4. Reference to other sections	6.4. Reference to other sections			
See section 2, 7, 8, 13 for further information.				
SECTION 7: Handling and st	SECTION 7: Handling and storage			
7.1. Precautions for safe handling				
	Adopt best Manual Handling considerations when handling, carrying and dispensing.			
7.2. Conditions for safe storage, including any incompatibilities				
	Flammable liquid. Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light. Store in a well-ventilated place. Keep cool. Store in original container. Keep container tightly closed. Keep away from combustible material. Keep out of the reach of children.			
7.3. Specific end use(s)				
	No data is available on this product.			

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Suitable packaging

Occupational exposure controls.

Plastic containers.

#### 8.1.1. Exposure Limit Values

ethanol	WEL 8-hr limit ppm: 1000	WEL 8-hr limit mg/m3: 1920
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

### 8.2. Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

#### 8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Eye / face protection Skin protection -Handprotection

Respiratory protection

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.

Rubber gloves.

8.2.3. Environmental exposure

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

# controls

Prevent further leakage or spillage if safe to do so.

Revision 14

Revision date 2017-08-21

### SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Liquid Appearance Colour Clear Odour Designer Fragranced No data available Odour threshold 6 - 78 pΗ Not applicable.

Melting point Initial boiling point No data available > 23 °C

Flash point

Evaporation rate No data available Flammability (solid, gas) No data available Vapour pressure No data available No data available Vapour density Relative density 0.8 - 0.9 g/cm3

Partition coefficient No data available Autoignition temperature No data available Viscosity < 20 centipoise **Explosive properties** No data available Oxidising properties No data available

Solubility Slightly miscible in water

#### 9.2. Other information

Conductivity No data available Surface tension No data available Gas group No data available Benzene Content Not applicable. Lead content Not applicable VOC (Volatile organic 60 g/l compounds

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Flammable liquid. Stable under normal conditions.

#### 10.2. Chemical stability

Flammable liquid. Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Oxidising agents. Combustible materials.

### 10.4. Conditions to avoid

Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light.

### 10.5. Incompatible materials

Oxidising agents.

#### 10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly. Burning produces irritating, toxic and obnoxious fumes

### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity based on available data the classification criteria are not met.

Revision 14 Revision date 2017-08-21

	Revision date 2017-08-2
11.1. Information on toxicologica	al effects
Skin corrosion/irritation	based on available data the classification criteria are not met.
Serious eye damage/irritation	based on available data the classification criteria are not met.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
11.1.2. Mixtures	
	No data available.
11.1.3. Hazard Information	
	No data available.
11.1.4. Toxicological Information	
	No data available
SECTION 12: Ecological info	ormation
12.1. Toxicity	
	No data available
12.2. Persistence and degradab	ility
	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.
12.3. Bioaccumulative potential	
	No data is available on this product.
Partition coefficient	
	GROOM PROFESSIONAL UNISEX DOG COLOGNE No data available
12.4. Mobility in soil	
	No data is available on this product.
12.5. Results of PBT and vPvB	assessment
	No data is available on this product.
12.6. Other adverse effects	•
	No data available.
SECTION 13: Disposal cons	iderations
13.1. Waste treatment methods	
	Dispose of waste and residues in accordance with local authority requirements.
General information	
	Dispose of in compliance with all local and national requirements.
Disposal of packaging	
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.
	T SETTIFICATION AND TRANSPORT TO SUBMITTED.

Revision 14

Revision date 2017-08-21

### **SECTION 14: Transport information**

#### Hazard pictograms



#### 14.1. UN number

UN1170

#### 14.2. UN proper shipping name

ETHYL ALCOHOL SOLUTION

#### 14.3. Transport hazard class(es)

ADR/RID	3
Subsidiary risk	_
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-

### 14.4. Packing group

Packing group

### 14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

### 14.6. Special precautions for user

No additional special precautions.

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

### ADR/RID

Hazard ID	30
Tunnel Category	(D/E)

### **IMDG**

#### IATA

Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction	355
(Passenger)	
Maximum quantity	60 L

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL
	of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of
	Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC
	and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94
	as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC,
	93/105/EC and 2000/21/EC.

Revision 14

Revision date 2017-08-21

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

#### 15.2. Chemical safety assessment

No information available.

#### SECTION 16: Other information

#### Other information

Revision	This document differs from the previous version in the following areas:.  2 - Precautionary Statement: Prevention.  2 - Precautionary Statement: Response.
	2 - Precautionary Statement: Disposal.
Text of Hazard Statements in	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
Section 3	Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
	Skin Irrit. 2: H315 - Causes skin irritation.
	Skin Sens. 1: H317 - May cause an allergic skin reaction.
	Flam. Liq. 3: H226 - Flammable liquid and vapour.
	Acute Tox. 4: H302 - Harmful if swallowed.
	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
	Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.
	Acute Tox. 2: H330 - Fatal if inhaled.
	Eye Irrit. 2: H319 - Causes serious eye irritation.
Maximum content of VOC	60 g/l.

### Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.